

Dr. \_\_\_\_\_ Practice Name \_\_\_\_\_ Acct. No: \_\_\_\_\_

Post Code \_\_\_\_\_ Tel/Mobile \_\_\_\_\_ GDC No: \_\_\_\_\_

# crown & bridge NHS

patient name \_\_\_\_\_ d.o.b. (dd/mm/yy) \_\_\_\_\_ M / F

delivery date \_\_\_\_ / \_\_\_\_ / \_\_\_\_ - give us 10 WORKING DAYS exc. sat. & sun. allow 1 working day before appointment.

*notes*

*lab use only*

CROWN **C**     BRIDGE **B**     VENEER **V**     INLAY **I**     ONLY **O**

Please specify under instructions using C / B / V / I / O codes

**full metal**

TO NON-PRECIOUS (Co-Cr)  
\*(inlay/onlay) independent only

**metal free**

COMPOSITE

**porcelain bonded**

TO NON-PRECIOUS (Co-Cr)

**post and core**

INTEGRAL   
 SEPERATE 


(Co-Cr only on NHS)

**maryland bridge**


PORCELAIN BONDED  
 COMPOSITE BONDED  
 ACRYLIC BONDED

(Co-Cr only on NHS)


**shade use vita guide**



Please specify using C / B / V / I / O codes



**pontic design**



This is a remake case  
 New/Old components enclosed \_\_\_\_\_

**instructions**

IMPRESSION STERILISED  
WITH \_\_\_\_\_ BY \_\_\_\_\_

Dr. \_\_\_\_\_ Practice Name \_\_\_\_\_ Acct. No: \_\_\_\_\_

Post Code \_\_\_\_\_ Tel/Mobile \_\_\_\_\_ GDC No: \_\_\_\_\_

# prosthetic NHS

patient name \_\_\_\_\_ d.o.b. (dd/mm/yy) \_\_\_\_\_ M / F

**delivery** – give us 10 WORKING DAYS exc. sat. & sun. allow 1 working day before appointment.

lab use only

- Special Tray U / L Date \_\_\_\_\_
- Bite U / L Date \_\_\_\_\_
- Try in U / L Date \_\_\_\_\_
- Finish U / L Date \_\_\_\_\_
- Straight to Finish U / L Date \_\_\_\_\_



**denture type**

**ACRYLIC**

**Co-Cr**





**\*FLEXIBLE**

\* Flexible denture optional can only be done PRIVATE

**extract tooth**

- @ try in \_\_\_\_\_
- @ finish \_\_\_\_\_
- clasp on \_\_\_\_\_

**shade** use vita guide



- BLEACHING TRAY \_\_\_\_\_
- NIGHT GUARD (SOFT) \_\_\_\_\_
- MICHIGAN / TANNER (HARD INVESTED) \_\_\_\_\_
- NIGHT GUARD (HARD AND SOFT) \_\_\_\_\_
- \*SPORTS GUARD (COLOUR) \_\_\_\_\_
- ESSIX RETAINER \_\_\_\_\_
- STUDY MODEL \_\_\_\_\_
- REPAIR \_\_\_\_\_
- ADDING UNIT \_\_\_\_\_
- RELINE \_\_\_\_\_
- REBASE \_\_\_\_\_
- OTHER (PLEASE SPECIFY) \_\_\_\_\_

- This is a remake case
- New/Old components enclosed

**instructions**

Tell us about if/when any root extraction.

IMPRESSION STERILISED  
WITH \_\_\_\_\_ BY \_\_\_\_\_